

Erytype S ABD Confirmation

REF 806110

187754 / 25

Ergebnisprotokoll / Worksheet / Feuille de travail /

Protocollo risultati / Hoja de control

Mikrotestplatte (Streifen) zur AB0- und D-Bestätigung von 24 Probanden

Microtestplate (strips) for AB0 and D confirmation of 24 specimens

Microplaque (bandes) pour la confirmation AB0 et D de 24 patients

Micrometodo (strips) su piastra per la conferma dei gruppi sanguigni AB0 e D di 24 campioni

Microplaca (tiras) para la tipificación del grupo AB0 y D en 24 probandos

Ch.-B. / Lot-No. / Lot Nr. / Lotto / Lote:	
Datum / Date / Data / Fecha:	
Platte Nr. / Plate No. / Plaque No. / Piastra No. / Placa No.:	
Unterschrift / Signature / Firma:	

		1	2	3	4	5	6	7	8	9	10	11	12
A	Anti-A (Clone: A003)												
B	Anti-B (Clone: B005)												
C	Anti-D (Clone: BS226)												
D	Neg.-Kontr./Neg.-Contr./Contr. Neg.												
Proband/Specimen/Echantillon/Campione/Probando													
Ergebnis/Result/Resultat/Risultato/Resultado													
E	Anti-A (Clone: A003)												
F	Anti-B (Clone: B005)												
G	Anti-D (Clone: BS226)												
H	Neg.-Kontr./Neg.-Contr./Contr. Neg.												
Proband/Specimen/Echantillon/Campione/Probando													
Ergebnis/Result/Resultat/Risultato/Resultado													