Biotestcell - Di^a

REF	816031
LOT	3448011-00
⌛	2025-01-27

187501 / 10

Last Name		First Name		Born	
Bloodgroup		Identified Antibodies		ID	
Hospital / Physician				Date	Signature

			Rh-hr						Kell						Duffy		Luth-eran		Kidd		MNS				Lewis		P	Xg	Colton		Diego		Special Type**		Test Results					
	Donor-No.	Rh-Typ	D	C	E	c	e	C^w	K	k	Kp^a	Kp^b	Js^a	Js^b	Fy^a	Fy^b	Lu^a	Lu^b	Jk^a	Jk^b	M	N	S	s	Le^a	Le^b	P_1	Xg^a	Co^a	Co^b	Di^a	Di^b								
Di^a	550011	R_1r	+	+	o	+	+	o	o	+	o	+	o	+	+	o	o	+	o	+	+	+	+	+	o	+	+	+	+	o	+	nt							
Autocontrol																																								

+ = positive 0 = negative nt = not tested w = weak s = strong

** Donors are tested for HLA class I antigens according to Bio-Rad test method using a monoclonal anti-HLA class I reagent. Positive reactions are reported accordingly.

Bio-Rad Medical Diagnostics GmbH
Industriestr. 1, D-63303 Dreieich, Germany
Tel.: +49-6103-3130-0, Fax: +49-6103-3130-724
www.bio-rad.com, techsupport.bmd@bio-rad.com

BIO-RAD